

	Lado Esquerdo								Eixo			Lado Direito								
	Offset			Lateral		Bordo			Cota	Cota	Cota	Bordo			Lateral		Offset			
Estaca	Distância	Cota	Altura	Distância	Cota	Distância	Cota	%	Terreno	Projeto	Vermelha	Distância	Cota	%	Distância	Cota	Distância	Cota	Altura	
0	3,15	233,498	0,262	3,15	233,236	3,15	233,236	-2,98	233,559	233,330	0,229	3,15	233,236	-2,98						
1	3,15	233,265	0,249	3,15	233,016	3,15	233,016	-2,98	233,269	233,110	0,159	3,15	233,016	-2,98						
1+8,810	3,15	233,144	0,223	3,15	232,921	3,15	232,921	-3,02	233,152	233,016	0,136	3,15	232,921	-3,02						
2	3,15	233,089	0,294	3,15	232,795	3,15	232,795	-3,02	233,063	232,890	0,173	3,15	232,795	-3,02	3,15	232,795	3,15	233,056	0,261	
2+7,350	3,15	233,024	0,303	3,15	232,721	3,15	232,721	-3,02	232,971	232,816	0,155	3,15	232,721	-3,02						
3	3,15	232,950	0,365	3,15	232,585	3,15	232,585	-2,98	232,949	232,679	0,270	3,15	232,585	-2,98	3,15	232,585	3,15	232,949	0,364	
3+17,620	3,15	232,677	0,282	3,15	232,395	3,15	232,395	-3,02	232,692	232,490	0,202	3,15	232,395	-3,02	3,15	232,395	3,15	232,847	0,452	
4	3,15	232,634	0,265	3,15	232,369	3,15	232,369	-3,02	232,677	232,464	0,213	3,15	232,369	-3,02	3,15	232,369	3,15	232,831	0,462	
4+6,150	3,15	232,620	0,298	3,15	232,322	3,15	232,322	-3,02	232,711	232,417	0,294	3,15	232,322	-3,02	3,15	232,322	3,15	232,815	0,493	
5	3,15	232,592	0,375	3,15	232,217	3,15	232,217	-2,98	232,692	232,311	0,381	3,15	232,217	-2,98						
6	3,15	232,389	0,324	3,15	232,065	3,15	232,065	-2,98	232,428	232,159	0,269	3,15	232,065	-2,98						
7	3,15	232,307	0,395	3,15	231,912	3,15	231,912	-3,02	232,344	232,007	0,337	3,15	231,912	-3,02						
7+4,920	3,15	232,227	0,352	3,15	231,875	3,15	231,875	-2,98	232,235	231,969	0,266	3,15	231,875	-2,98						
8	3,15	232,076	0,316	3,15	231,760	3,15	231,760	-3,02	232,105	231,855	0,250	3,15	231,760	-3,02	3,15	231,760	3,15	232,149	0,389	
8+5,300	3,15	232,043	0,330	3,15	231,713	3,15	231,713	-3,02	232,043	231,808	0,235	3,15	231,713	-3,02	3,15	231,713	3,15	232,106	0,393	
8+12,530	3,15	231,997	0,347	3,15	231,650	3,15	231,650	-2,98	231,992	231,744	0,248	3,15	231,650	-2,98						
9	3,15	232,019	0,435	3,15	231,584	3,15	231,584	-3,02	232,013	231,679	0,334	3,15	231,584	-3,02	3,15	231,584	3,15	231,995	0,411	
9+5,990	3,15	232,074	0,543	3,15	231,531	3,15	231,531	-3,02	232,067	231,626	0,441	3,15	231,531	-3,02	3,15	231,531	3,15	232,058	0,527	
10	3,15	231,759	0,351	3,15	231,408	3,15	231,408	-3,02	231,755	231,503	0,252	3,15	231,408	-3,02	3,15	231,408	3,15	231,784	0,376	
10+6,950	3,15	231,714	0,367	3,15	231,347	3,15	231,347	-2,98	231,723	231,441	0,282	3,15	231,347	-2,98	3,15	231,347	3,15	231,650	0,303	
11	3,15	231,559	0,327	3,15	231,232	3,15	231,232	-3,02	231,575	231,327	0,248	3,15	231,232	-3,02	3,15	231,232	3,15	231,491	0,259	
11+2,810	3,15	231,525	0,336	3,15	231,189	3,15	231,189	-3,02	231,521	231,284	0,237	3,15	231,189	-3,02	3,15	231,189	3,15	231,448	0,259	
11+15,38	3,15	231,342	0,348	3,15	230,994	3,15	230,994	-2,98	231,382	231,088	0,294	3,15	230,994	-2,98						
12	3,15	231,252	0,330	3,15	230,922	3,15	230,922	-2,98	231,241	231,016	0,225	3,15	230,922	-2,98						
12+18,76	3,15	231,002	0,372	3,15	230,630	3,15	230,630	-3,02	231,004	230,725	0,279	3,15	230,630	-3,02	3,15	230,630	3,15	231,026	0,396	
13	3,15	230,977	0,366	3,15	230,611	3,15	230,611	-2,98	230,986	230,705	0,281	3,15	230,611	-2,98	3,15	230,611	3,15	230,999	0,388	
13+15,79	3,15	230,655	0,290	3,15	230,365	3,15	230,365	-3,02	230,693	230,460	0,233	3,15	230,365	-3,02	3,15	230,365	3,15	230,727	0,362	
13+19,90	3,15	230,574	0,273	3,15	230,301	3,15	230,301	-3,02	230,616	230,396	0,220	3,15	230,301	-3,02	3,15	230,301	3,15	230,628	0,327	
14	3,15	230,572	0,272	3,15	230,300	3,15	230,300	-2,98	230,614	230,394	0,220	3,15	230,300	-2,98	3,15	230,300	3,15	230,626	0,326	

Estaca	Lado Esquerdo								Eixo			Lado Direito							
	Offset			Lateral		Bordo			Cota	Cota	Cota	Bordo			Lateral		Offset		
	Distância	Cota	Altura	Distância	Cota	Distância	Cota	%	Terreno	Projeto	Vermelha	Distância	Cota	%	Distância	Cota	Distância	Cota	Altura
14+7,130	3,15	230,462	0,284	3,15	230,178	3,15	230,178	-2,98	230,475	230,272	0,203	3,15	230,178	-2,98	3,15	230,178	3,15	230,406	0,228
14+18,00	3,15	230,082	0,132	3,15	229,950	3,15	229,950	-2,98	230,173	230,044	0,129	3,15	229,950	-2,98					
15	3,15	230,005	0,103	3,15	229,902	3,15	229,902	-3,02	230,076	229,997	0,079	3,15	229,902	-3,02					
16	3,15	229,407	0,074	3,15	229,333	3,15	229,333	-3,02	229,405	229,428	-0,023	3,15	229,333	-3,02					
16+9,800	3,15	229,011	0,019	3,15	228,992	3,15	228,992	-2,98	229,049	229,086	-0,037	3,15	228,992	-2,98					
17	3,15	228,568	-0,024	3,15	228,592	3,15	228,592	-3,02	228,704	228,687	0,017	3,15	228,592	-3,02	3,15	228,592	3,15	228,795	0,203
17+16,96	3,15	227,986	0,157	3,15	227,829	3,15	227,829	-3,02	227,990	227,924	0,066	3,15	227,829	-3,02					
18	3,15	227,853	0,174	3,15	227,679	3,15	227,679	-3,02	227,849	227,774	0,075	3,15	227,679	-3,02					
18+19,92	3,15	226,918	0,319	3,15	226,599	3,15	226,599	-2,98	226,907	226,693	0,214	3,15	226,599	-2,98					
19	3,15	226,915	0,321	3,15	226,594	3,15	226,594	-3,02	226,904	226,689	0,215	3,15	226,594	-3,02					
19+4,240	3,15	226,731	0,382	3,15	226,349	3,15	226,349	-2,98	226,694	226,443	0,251	3,15	226,349	-2,98					
19+15,11	3,15	226,201	0,461	3,15	225,740	3,15	225,740	-3,02	226,128	225,835	0,293	3,15	225,740	-3,02	3,15	225,740	3,15	226,145	0,405
20	3,15	226,013	0,536	3,15	225,477	3,15	225,477	-2,98	225,878	225,571	0,307	3,15	225,477	-2,98	3,15	225,477	3,15	225,899	0,422
20+4,650	3,15	225,757	0,525	3,15	225,232	3,15	225,232	-3,02	225,644	225,327	0,317	3,15	225,232	-3,02	3,15	225,232	3,15	225,666	0,434
21	3,15	224,662	0,198	3,15	224,464	3,15	224,464	-3,02	224,767	224,559	0,208	3,15	224,464	-3,02	3,15	224,464	3,15	224,885	0,421
21+13,58	3,15	224,043	0,206	3,15	223,837	3,15	223,837	-2,98	224,096	223,931	0,165	3,15	223,837	-2,98	3,15	223,837	3,15	224,233	0,396
21+19,71	3,15	223,864	0,295	3,15	223,569	3,15	223,569	-3,02	223,900	223,664	0,236	3,15	223,569	-3,02	3,15	223,569	3,15	223,921	0,352
22	3,15	223,852	0,295	3,15	223,557	3,15	223,557	-2,98	223,891	223,651	0,240	3,15	223,557	-2,98	3,15	223,557	3,15	223,907	0,350
22+7,450	3,15	223,491	0,364	3,15	223,127	3,15	223,127	-3,02	223,441	223,222	0,219	3,15	223,127	-3,02					
22+19,11	3,15	222,750	0,351	3,15	222,399	3,15	222,399	-2,98	222,700	222,493	0,207	3,15	222,399	-2,98					
23	3,15	222,726	0,381	3,15	222,345	3,15	222,345	-3,02	222,672	222,440	0,232	3,15	222,345	-3,02					
23+3,470	3,15	222,644	0,477	3,15	222,167	3,15	222,167	-3,02	222,482	222,262	0,220	3,15	222,167	-3,02					

	Lado Esquerdo								Eixo			Lado Direito							
	Offset			Lateral		Bordo			Cota	Cota	Cota	Bordo			Lateral		Offset		
Estaca	Distância	Cota	Altura	Distância	Cota	Distância	Cota	%	Terreno	Projeto	Vermelha	Distância	Cota	%	Distância	Cota	Distância	Cota	Altura
0	3,15	228,727	0,192	3,15	228,535	3,15	228,535	-3,02	228,847	228,630	0,217	3,15	228,535	-3,02	3,15	228,535	3,15	228,945	0,410
1						3,15	228,864	-3,02	229,185	228,959	0,226	3,15	228,864	-3,02	3,15	228,864	3,15	229,198	0,334
1+1,460						3,15	228,885	-3,02	229,225	228,980	0,245	3,15	228,885	-3,02	3,15	228,885	3,15	229,222	0,337
2						3,15	229,241	-3,02	229,501	229,336	0,165	3,15	229,241	-3,02	3,15	229,241	3,15	229,518	0,277
2+18,990						3,15	229,603	-3,02	229,903	229,698	0,205	3,15	229,603	-3,02	3,15	229,603	3,15	229,952	0,349
3						3,15	229,622	-3,02	229,926	229,717	0,209	3,15	229,622	-3,02	3,15	229,622	3,15	229,989	0,367
3+4,620						3,15	229,710	-3,02	230,029	229,805	0,224	3,15	229,710	-3,02	3,15	229,710	3,15	230,147	0,437
4						3,15	229,916	-3,02	230,333	230,011	0,322	3,15	229,916	-3,02	3,15	229,916	3,15	230,331	0,415
4+6,110						3,15	229,998	-2,98	230,231	230,092	0,139	3,15	229,998	-2,98	3,15	229,998	3,15	230,231	0,233
5						3,15	230,074	-2,98	230,300	230,168	0,132	3,15	230,074	-2,98	3,15	230,074	3,15	230,296	0,222
6						3,15	230,183	-3,02	230,363	230,278	0,085	3,15	230,183	-3,02	3,15	230,183	3,15	230,377	0,194
7						3,15	230,293	-2,98	230,464	230,387	0,077	3,15	230,293	-2,98	3,15	230,293	3,15	230,532	0,239
8						3,15	230,402	-3,02	230,686	230,497	0,189	3,15	230,402	-3,02	3,15	230,402	3,15	230,690	0,288
8+19,540						3,15	230,509	-3,02	230,825	230,604	0,221	3,15	230,509	-3,02	3,15	230,509	3,15	230,833	0,324
9						3,15	230,510	-2,98	230,826	230,604	0,222	3,15	230,510	-2,98	3,15	230,510	3,15	230,834	0,324
10						3,15	230,538	-2,98	230,870	230,632	0,238	3,15	230,538	-2,98	3,15	230,538	3,15	230,895	0,357
11						3,15	230,565	-3,02	230,920	230,660	0,260	3,15	230,565	-3,02	3,15	230,565	3,15	230,942	0,377
12						3,15	230,593	-3,02	230,901	230,688	0,213	3,15	230,593	-3,02	3,15	230,593	3,15	230,922	0,329
12+5,770						3,15	230,601	-3,02	230,914	230,696	0,218	3,15	230,601	-3,02	3,15	230,601	3,15	230,914	0,313
13						3,15	230,621	-3,02	230,928	230,716	0,212	3,15	230,621	-3,02	3,15	230,621	3,15	230,920	0,299
13+18,34						3,15	230,646	-3,02	230,965	230,741	0,224	3,15	230,646	-3,02	3,15	230,646	3,15	230,942	0,296
13+19,94						3,15	230,649	-2,98	230,940	230,743	0,197	3,15	230,649	-2,98	3,15	230,649	3,15	230,942	0,293
14						3,15	230,649	-2,98	230,940	230,743	0,197	3,15	230,649	-2,98	3,15	230,649	3,15	230,942	0,293
15						3,15	230,620	-2,98	230,903	230,714	0,189	3,15	230,620	-2,98	3,15	230,620	3,15	230,919	0,299
15+16,81	3,15	230,889	0,294	3,15	230,595	3,15	230,595	-3,02	230,915	230,690	0,225	3,15	230,595	-3,02	3,15	230,595	3,15	230,923	0,328
16	3,15	230,891	0,300	3,15	230,591	3,15	230,591	-2,98	230,905	230,685	0,220	3,15	230,591	-2,98	3,15	230,591	3,15	230,917	0,326
17	3,15	230,816	0,254	3,15	230,562	3,15	230,562	-2,98	230,813	230,656	0,157	3,15	230,562	-2,98	3,15	230,562	3,15	230,809	0,247
17+17,34	3,15	230,751	0,215	3,15	230,536	3,15	230,536	-3,02	230,890	230,631	0,259	3,15	230,536	-3,02	3,15	230,536	3,15	230,864	0,328
18	3,15	230,744	0,211	3,15	230,533	3,15	230,533	-2,98	230,842	230,627	0,215	3,15	230,533	-2,98	3,15	230,533	3,15	230,813	0,280

	Lado Esquerdo								Eixo			Lado Direito							
	Offset			Lateral		Bordo			Cota	Cota	Cota	Bordo			Lateral		Offset		
Estaca	Distância	Cota	Altura	Distância	Cota	Distância	Cota	%	Terreno	Projeto	Vermelha	Distância	Cota	%	Distância	Cota	Distância	Cota	Altura
19	3,15	230,709	0,341	3,15	230,368	3,15	230,368	-3,02	230,635	230,463	0,172	3,15	230,368	-3,02	3,15	230,368	3,15	230,617	0,249
20						3,15	230,203	-2,98	230,616	230,297	0,319	3,15	230,203	-2,98	3,15	230,203	3,15	230,581	0,378
20+16,36						3,15	230,068	-2,98	230,377	230,162	0,215	3,15	230,068	-2,98					

	Lado Esquerdo								Eixo			Lado Direito							
	Offset			Lateral		Bordo			Cota	Cota	Cota	Bordo			Lateral		Offset		
Estaca	Distância	Cota	Altura	Distância	Cota	Distância	Cota	%	Terreno	Projeto	Vermelha	Distância	Cota	%	Distância	Cota	Distância	Cota	Altura
0	3,15	233,516	0,390	3,15	233,126	3,15	233,126	-2,98	233,436	233,220	0,216	3,15	233,126	-2,98	3,15	233,126	3,15	233,377	0,251
0+10,990	3,15	233,522	0,335	3,15	233,187	3,15	233,187	-2,98	233,463	233,281	0,182	3,15	233,187	-2,98					
1	3,15	233,548	0,308	3,15	233,240	3,15	233,240	-2,98	233,523	233,334	0,189	3,15	233,240	-2,98	3,15	233,240	3,15	233,471	0,231
1+19,970	3,15	233,626	0,271	3,15	233,355	3,15	233,355	-3,02	233,661	233,450	0,211	3,15	233,355	-3,02	3,15	233,355	3,15	233,651	0,296
2	3,15	233,626	0,268	3,15	233,358	3,15	233,358	-2,98	233,661	233,452	0,209	3,15	233,358	-2,98	3,15	233,358	3,15	233,651	0,293
2+9,470	3,15	233,606	0,282	3,15	233,324	3,15	233,324	-3,02	233,648	233,419	0,229	3,15	233,324	-3,02	3,15	233,324	3,15	233,660	0,336
3	3,15	233,635	0,348	3,15	233,287	3,15	233,287	-3,02	233,602	233,382	0,220	3,15	233,287	-3,02	3,15	233,287	3,15	233,601	0,314
3+11,030	3,15	233,608	0,360	3,15	233,248	3,15	233,248	-3,02	233,618	233,343	0,275	3,15	233,248	-3,02	3,15	233,248	3,15	233,601	0,353
4	3,15	233,588	0,371	3,15	233,217	3,15	233,217	-2,98	233,603	233,311	0,292	3,15	233,217	-2,98	3,15	233,217	3,15	233,605	0,388
4+19,030	3,15	233,542	0,393	3,15	233,149	3,15	233,149	-3,02	233,509	233,244	0,265	3,15	233,149	-3,02	3,15	233,149	3,15	233,446	0,297
5	3,15	233,530	0,384	3,15	233,146	3,15	233,146	-3,02	233,500	233,241	0,259	3,15	233,146	-3,02	3,15	233,146	3,15	233,431	0,285
6	3,15	233,448	0,373	3,15	233,075	3,15	233,075	-3,02	233,392	233,170	0,222	3,15	233,075	-3,02	3,15	233,075	3,15	233,374	0,299
7	3,15	233,361	0,356	3,15	233,005	3,15	233,005	-2,98	233,307	233,099	0,208	3,15	233,005	-2,98	3,15	233,005	3,15	233,299	0,294
7+8,310	3,15	233,332	0,356	3,15	232,976	3,15	232,976	-2,98	233,309	233,070	0,239	3,15	232,976	-2,98	3,15	232,976	3,15	233,281	0,305
8	3,15	233,283	0,380	3,15	232,903	3,15	232,903	-3,02	233,237	232,998	0,239	3,15	232,903	-3,02	3,15	232,903	3,15	233,190	0,287
8+12,180	3,15	233,197	0,369	3,15	232,828	3,15	232,828	-2,98	233,141	232,922	0,219	3,15	232,828	-2,98	3,15	232,828	3,15	233,140	0,312

NOTA DE SERVIÇO DE TERRAPLENAGEM
RUA 4 - MAMOEIRO, LIMOEIRO DE ANADIA/AL

Lado Esquerdo			Eixo						Lado Direito		
OFFSET			Estaca	Pontos Notáveis da Geometria Horizontal	Pontos Notáveis da Geometria Vertical	Cota Projeto	Cota Terreno	Cota Vermelha	OFFSET		
Afast. (m)	Cota (m)	Incl. (%)							Afast. (m)	Cota (m)	Incl. (%)
-3.150	223.112	-3.00	0+2.530			223.207	223.314	-0.108	3.150	223.112	-3.00
-3.150	223.086	-3.00	1+0.000			223.181	223.281	-0.100	3.150	223.086	-3.00
-3.150	223.004	-3.00	2+0.000			223.099	223.199	-0.100	3.150	223.004	-3.00
-3.150	223.105	-3.00	3+0.000			223.200	223.300	-0.100	3.150	223.105	-3.00
-3.150	223.253	-3.00	4+0.000			223.347	223.447	-0.100	3.150	223.253	-3.00
-3.150	223.366	-3.00	5+0.000			223.460	223.560	-0.100	3.150	223.366	-3.00
-3.150	223.514	-3.00	6+0.000			223.608	223.708	-0.100	3.150	223.514	-3.00
-3.150	223.636	-3.00	7+0.000			223.731	223.831	-0.100	3.150	223.636	-3.00
-3.150	223.769	-3.00	8+0.000			223.864	223.964	-0.100	3.150	223.769	-3.00
-3.150	223.969	-3.00	9+0.000			224.063	224.163	-0.100	3.150	223.969	-3.00
-3.150	224.069	-3.00	10+0.000			224.163	224.225	-0.061	3.150	224.069	-3.00
-3.150	224.169	-3.00	11+0.000			224.263	224.313	-0.050	3.150	224.169	-3.00
-3.150	224.357	-3.00	12+0.000			224.451	224.551	-0.100	3.150	224.357	-3.00
-3.150	224.686	-3.00	13+0.000			224.781	224.881	-0.100	3.150	224.686	-3.00
-3.150	224.812	-3.00	14+0.000			224.906	225.006	-0.100	3.150	224.812	-3.00
-3.150	225.034	-3.00	15+0.000			225.129	225.229	-0.100	3.150	225.034	-3.00
-3.150	225.190	-3.00	16+0.000			225.284	225.384	-0.100	3.150	225.190	-3.00
-3.150	225.638	-3.00	17+0.000			225.733	225.833	-0.100	3.150	225.638	-3.00
-3.150	225.938	-3.00	18+0.000			226.032	226.132	-0.100	3.150	225.938	-3.00
-3.150	226.342	-3.00	19+0.000			226.437	226.537	-0.100	3.150	226.342	-3.00

NOTA DE SERVIÇO DE TERRAPLENAGEM

RUA 5 - MAMOEIRO, LIMOEIRO DE ANADIA/AL

Lado Esquerdo			Eixo						Lado Direito		
OFFSET			Estaca	Pontos Notáveis da Geometria Horizontal	Pontos Notáveis da Geometria Vertical	Cota Projeto	Cota Terreno	Cota Vermelha	OFFSET		
Afast. (m)	Cota (m)	Incl. (%)							Afast. (m)	Cota (m)	Incl. (%)
-3.150	223.116	-3.00	0+0.000			223.211	223.311	-0.100	3.150	223.116	-3.00
-3.150	223.695	-3.00	1+0.000			223.790	223.890	-0.100	3.150	223.695	-3.00
-3.150	224.304	-3.00	2+0.000			224.398	224.498	-0.100	3.150	224.304	-3.00
-3.150	224.404	-3.00	3+0.000			224.498	224.578	-0.079	3.150	224.404	-3.00
-3.150	224.504	-3.00	4+0.000			224.598	224.556	0.042	3.150	224.504	-3.00
-3.150	224.604	-3.00	5+0.000			224.698	224.680	0.018	3.150	224.604	-3.00
-3.150	224.704	-3.00	6+0.000			224.798	224.819	-0.020	3.150	224.704	-3.00
-3.150	224.804	-3.00	7+0.000			224.898	224.912	-0.014	3.150	224.804	-3.00
-3.150	224.904	-3.00	8+0.000			224.998	225.032	-0.034	3.150	224.904	-3.00
-3.150	225.004	-3.00	9+0.000			225.098	225.173	-0.075	3.150	225.004	-3.00
-3.150	225.181	-3.00	10+0.000			225.275	225.357	-0.082	3.150	225.181	-3.00
-3.150	225.358	-3.00	11+0.000			225.452	225.552	-0.100	3.150	225.358	-3.00
-3.150	225.473	-3.00	12+0.000			225.568	225.614	-0.046	3.150	225.473	-3.00
-3.150	225.589	-3.00	13+0.000			225.683	225.670	0.013	3.150	225.589	-3.00
-3.150	225.704	-3.00	14+0.000			225.799	225.899	-0.100	3.150	225.704	-3.00
-3.150	225.864	-3.00	15+0.000			225.958	226.058	-0.100	3.150	225.864	-3.00
-3.150	226.098	-3.00	16+0.000			226.192	226.292	-0.100	3.150	226.098	-3.00
-3.150	226.244	-3.00	17+0.000			226.338	226.438	-0.100	3.150	226.244	-3.00
-3.150	226.357	-3.00	18+0.000			226.452	226.457	-0.005	3.150	226.357	-3.00
-3.150	226.471	-3.00	19+0.000			226.566	226.585	-0.020	3.150	226.471	-3.00
-3.150	226.585	-3.00	20+0.000			226.679	226.684	-0.005	3.150	226.585	-3.00
-3.150	226.699	-3.00	21+0.000			226.793	226.824	-0.031	3.150	226.699	-3.00
-3.150	226.812	-3.00	22+0.000			226.907	227.007	-0.100	3.150	226.812	-3.00
-3.150	227.039	-3.00	23+0.000			227.134	227.234	-0.100	3.150	227.039	-3.00
-3.150	227.139	-3.00	24+0.000			227.234	227.307	-0.073	3.150	227.139	-3.00

-3.150	227.239	-3.00	25+0.000			227.334	227.321	0.012	3.150	227.239	-3.00
-3.150	227.128	-3.00	26+0.000			227.223	227.263	-0.040	3.150	227.128	-3.00
-3.150	227.017	-3.00	27+0.000			227.111	227.211	-0.100	3.150	227.017	-3.00
-3.150	226.500	-3.00	28+0.000			226.594	226.812	-0.218	3.150	226.500	-3.00
-3.150	226.382	-3.00	28+4.551			226.476	226.696	-0.220	3.150	226.382	-3.00

NOTA DE SERVIÇO DE TERRAPLENAGEM
RUA 6 - MAMOEIRO, LIMOEIRO DE ANADIA/AL

Lado Esquerdo			Eixo						Lado Direito		
OFFSET			Estaca	Pontos Notáveis da Geometria Horizontal	Pontos Notáveis da Geometria Vertical	Cota Projeto	Cota Terreno	Cota Vermelha	OFFSET		
Afast. (m)	Cota (m)	Incl. (%)							Afast. (m)	Cota (m)	Incl. (%)
-3.150	227.389	-3.00	0+3.260			227.483	227.571	-0.088	3.150	227.389	-3.00
-3.150	227.548	-3.00	1+0.000			227.642	227.634	0.008	3.150	227.548	-3.00
-3.150	227.737	-3.00	2+0.000			227.832	227.932	-0.100	3.150	227.737	-3.00
-3.150	227.887	-3.00	3+0.000			227.982	228.082	-0.100	3.150	227.887	-3.00
-3.150	227.992	-3.00	4+0.000			228.087	228.182	-0.095	3.150	227.992	-3.00
-3.150	228.097	-3.00	5+0.000			228.192	228.236	-0.044	3.150	228.097	-3.00
-3.150	228.203	-3.00	6+0.000			228.297	228.413	-0.116	3.150	228.203	-3.00
-3.150	228.308	-3.00	7+0.000			228.402	228.496	-0.093	3.150	228.308	-3.00
-3.150	228.413	-3.00	8+0.000			228.508	228.578	-0.071	3.150	228.413	-3.00
-3.150	228.518	-3.00	9+0.000			228.613	228.626	-0.013	3.150	228.518	-3.00
-3.150	228.265	-3.00	10+0.000			228.360	228.460	-0.100	3.150	228.265	-3.00
-3.150	227.826	-3.00	11+0.000			227.921	228.119	-0.198	3.150	227.826	-3.00
-3.150	227.774	-3.00	11+2.370			227.869	228.089	-0.220	3.150	227.774	-3.00